

Wildlife Habitat (MN)

Mahnomen County, Minnesota

[Absence of an entry indicates that data were not estimated]

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 33B: | | | | | | | | | | | |
| Barnes | 90 | Good | Good | Good | Good | Good | Poor | Very poor | Good | Good | Very poor |
| Flom | 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Hamerly | 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Hamlet | 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Poorly drained soils | 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Vallers | 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 36: | | | | | | | | | | | |
| Flom | 90 | Good | Good | Good | Fair | Fair | Good | Good | Good | Fair | Good |
| Hamerly | 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Hamlet | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Very poorly drained soils | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 38B: | | | | | | | | | | | |
| Waukon | 90 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Gonvick | 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Flom | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

Wildlife Habitat (MN)

Mahnomen County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 38B: | | | | | | | | | | | |
| Very poorly drained soils | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 38C: | | | | | | | | | | | |
| Waukon | 90 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Gonvick | 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Flom | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Very poorly drained soils | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 38E: | | | | | | | | | | | |
| Waukon | 90 | Poor | Fair | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Flom | 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Gonvick | 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 40B: | | | | | | | | | | | |
| Nebish | 90 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Beltrami | 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Talmoon | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Very poorly drained soils | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

Wildlife Habitat (MN)

Mahnomon County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| | | | | | | | | | | | |
| 40C: | | | | | | | | | | | |
| Nebish | 90 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Beltrami | 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Talmoon | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Very poorly drained soils | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 40E: | | | | | | | | | | | |
| Nebish | 90 | Poor | Fair | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Beltrami | 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Talmoon | 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 59: | | | | | | | | | | | |
| Grimstad | 90 | Fair | Good | Fair | Fair | Fair | Fair | Fair | Fair | Fair | Fair |
| Foldahl | 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Rockwell | 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 63: | | | | | | | | | | | |
| Rockwell | 90 | Fair | Fair | Good | Fair | Fair | Good | Good | Fair | Fair | Good |
| Vallers | 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Grimstad | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

Wildlife Habitat (MN)

Mahnomen County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 63: | | | | | | | | | | | |
| Marysland | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 121: | | | | | | | | | | | |
| Wykeham | 90 | Good | Good | Good | Good | Fair | Poor | Poor | Good | Good | Poor |
| Egglake | 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Snellman | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Very poorly drained soils | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 125: | | | | | | | | | | | |
| Beltrami | 90 | Good | Good | Good | Good | Fair | Very poor | Very poor | Good | Good | Very poor |
| Nebish | 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Talmoon | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Very poorly drained soils | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 127B: | | | | | | | | | | | |
| Sverdrup | 90 | Fair | Fair | Fair | Fair | Fair | Poor | Very poor | Fair | Fair | Poor |
| Marysland | 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Rockwell | 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

Wildlife Habitat (MN)

Mahnomon County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 180: | | | | | | | | | | | |
| Gonvick | 90 | Good | Good | Good | Good | Fair | Poor | Poor | Good | Good | Poor |
| Flom | 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Waukon | 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 191: | | | | | | | | | | | |
| Epoufette | 90 | Fair | Fair | Poor | Poor | Poor | Good | Good | Fair | Poor | Good |
| Karlstad | 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Very poorly drained soils | 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 205: | | | | | | | | | | | |
| Karlstad | 90 | Poor | Fair | Fair | Fair | Fair | Poor | Very poor | Poor | Fair | Very poor |
| Epoufette | 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Sugarbush | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Very poorly drained soils | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 236: | | | | | | | | | | | |
| Vallers | 90 | Fair | Fair | Fair | Fair | Poor | Good | Good | Fair | Fair | Good |
| Hamerly | 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Very poorly drained soils | 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

Wildlife Habitat (MN)

Mahnommen County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 267B: | | | | | | | | | | | |
| Snellman | 90 | Good | Good | Good | Good | Good | Poor | Very poor | Good | Good | Poor |
| Egglake | 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Very poorly drained soils | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Wykeham | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 267C: | | | | | | | | | | | |
| Snellman | 90 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Egglake | 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Very poorly drained soils | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Wykeham | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 267E: | | | | | | | | | | | |
| Snellman | 90 | Poor | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| Egglake | 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Wykeham | 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 290B: | | | | | | | | | | | |
| Rothsay | 90 | Good | Good | Fair | Fair | Fair | Poor | Very poor | Good | Fair | Poor |
| Poorly drained soils | 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

Wildlife Habitat (MN)

Mahnomen County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|---|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 290B: Soils underlain by glacial till less than 40 inches deep | 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 296: Fram | 90 | Good | Good | Good | Fair | Very poor | Fair | Poor | Good | Fair | Poor |
| Hedman | 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Heimdal | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Very poorly drained soils | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 332B: Sugarbush | 90 | Fair | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| Two Inlets | 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Epoufette | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Karlstad | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 335: Urness | 90 | Fair | Fair | Fair | Poor | Very poor | Good | Good | Fair | Poor | Poor |
| Quam, noncalcareous | 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Vallers | 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

Wildlife Habitat (MN)

Mahnomen County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| | | | | | | | | | | | |
| 344: | | | | | | | | | | | |
| Quam | 90 | Fair | Fair | Poor | Poor | Poor | Good | Good | Fair | Poor | Good |
| Urness, calcareous | 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Vallers | 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 346: | | | | | | | | | | | |
| Talmoon | 90 | Good | Good | Good | Good | Good | Good | Good | Good | Good | Good |
| Beltrami | 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Very poorly drained soils | 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 352B: | | | | | | | | | | | |
| Heimdal | 90 | Good | Good | Good | Good | Very poor | Very poor | Very poor | Good | Fair | Very poor |
| Esmond | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Fram | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Hedman | 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Very poorly drained soils | 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 426: | | | | | | | | | | | |
| Foldahl | 90 | Good | Good | Good | Fair | Poor | Poor | Poor | Good | Fair | Poor |
| Rockwell | 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

Wildlife Habitat (MN)

Mahnomen County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 426: | | | | | | | | | | | |
| Grimstad | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Sverdrup | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 494B: | | | | | | | | | | | |
| Darnen | 90 | Good | Good | Good | Good | Good | Poor | Poor | Good | Good | Poor |
| Barnes | 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Flom | 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 540: | | | | | | | | | | | |
| Seelyeville | 90 | Very poor | Poor | Good | Poor | Poor | Good | Good | Fair | Poor | Good |
| Cathro | 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Haslie | 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Markey | 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Poorly drained soils | 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Very poorly drained soils | 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 543: | | | | | | | | | | | |
| Markey | 90 | Very poor | Very poor | Poor | Poor | Poor | Good | Good | Poor | Poor | Good |
| Hamre | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

Wildlife Habitat (MN)

Mahnomen County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 543: | | | | | | | | | | | |
| Seelyeville | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Poorly drained soils | 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Very poorly drained soils | 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 544: | | | | | | | | | | | |
| Cathro | 90 | Poor | Fair | Fair | Poor | Poor | Good | Good | Poor | Poor | Good |
| Hamre | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Seelyeville | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Poorly drained soils | 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Very poorly drained soils | 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 718B: | | | | | | | | | | | |
| Naytahwaush | 90 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Auganaush | 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Mahkonce | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Very poorly drained soils | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 718C: | | | | | | | | | | | |
| Naytahwaush | 90 | Fair | Good | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |

Wildlife Habitat (MN)

Mahnommen County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| | | | | | | | | | | | |
| 718C: | | | | | | | | | | | |
| Auganaush | 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Mahkonce | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Very poorly drained soils | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 718E: | | | | | | | | | | | |
| Naytahwaush | 90 | Very poor | Poor | Fair | Good | Good | Very poor | Very poor | Poor | Good | Very poor |
| Auganaush | 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Mahkonce | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Very poorly drained soils | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 737: | | | | | | | | | | | |
| Mahkonce | 90 | Good | Good | Good | Good | Good | Poor | Poor | Good | Good | Poor |
| Auganaush | 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Naytahwaush | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Very poorly drained soils | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 746: | | | | | | | | | | | |
| Haslie | 90 | Poor | Poor | Poor | Poor | Poor | Good | Good | Poor | Poor | Good |
| Hamre | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

Wildlife Habitat (MN)

Mahnomon County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|---------------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 746: | | | | | | | | | | | |
| Seelyeville | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Poorly drained soils | 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Very poorly drained soils | 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 748: | | | | | | | | | | | |
| Hamlet | 90 | Good | Good | Good | Good | Fair | Poor | Poor | Good | Fair | Poor |
| Barnes | 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Flom | 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 749: | | | | | | | | | | | |
| Colvin, occasionally flooded | 90 | Good | Good | Fair | Fair | Fair | Good | Good | Good | Fair | Good |
| Fairdale | 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Lamoure | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Very poorly drained soils | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 767: | | | | | | | | | | | |
| Auganaush | 90 | Poor | Fair | Fair | Fair | Fair | Good | Fair | Fair | Fair | Fair |
| Mahkonce | 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

Wildlife Habitat (MN)

Mahnomen County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| | | | | | | | | | | | |
| 767: | | | | | | | | | | | |
| Very poorly drained soils | 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 775B: | | | | | | | | | | | |
| Sugarbush | 55 | Fair | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| Two Inlets | 35 | Fair | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| Epoufette | 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Karlstad | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Very poorly drained soils | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 775C: | | | | | | | | | | | |
| Sugarbush | 50 | Fair | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| Two Inlets | 40 | Very poor | Poor | Fair | Poor | Fair | Very poor | Very poor | Poor | Fair | Very poor |
| Epoufette | 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Karlstad | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Very poorly drained soils | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 776B: | | | | | | | | | | | |
| Snellman | 60 | Good | Good | Good | Good | Good | Poor | Very poor | Good | Good | Poor |
| Sugarbush | 30 | Fair | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |

Wildlife Habitat (MN)

Mahnomen County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| | | | | | | | | | | | |
| 776B: | | | | | | | | | | | |
| Egglake | 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Epoufette | 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Karlstad | 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Very poorly drained soils | 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Wykeham | 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 776C: | | | | | | | | | | | |
| Snellman | 55 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Sugarbush | 35 | Fair | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| Egglake | 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Epoufette | 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Karlstad | 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Very poorly drained soils | 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Wykeham | 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 776E: | | | | | | | | | | | |
| Snellman | 50 | Poor | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |

Wildlife Habitat (MN)

Mahnomon County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 776E: | | | | | | | | | | | |
| Sugarbush | 35 | Poor | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| Egglake | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Epoufette | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Karlstad | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Very poorly drained soils | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Wykeham | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 827B: | | | | | | | | | | | |
| Heimdal | 60 | Good | Good | Good | Good | Poor | Very poor | Very poor | Good | Fair | Very poor |
| Esmond | 30 | Fair | Good | Good | Fair | Very poor | Poor | Very poor | Good | Poor | Very poor |
| Fram | 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Hedman | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Very poorly drained soils | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 827C2: | | | | | | | | | | | |
| Heimdal, eroded | 50 | Fair | Good | Good | Fair | Poor | Very poor | Very poor | Good | Fair | Very poor |
| Esmond, eroded | 40 | Poor | Fair | Good | Poor | Very poor | Very poor | Very poor | Fair | Poor | Very poor |

Wildlife Habitat (MN)

Mahnomon County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 827C2: | | | | | | | | | | | |
| Fram | 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Hedman | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Very poorly drained soils | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 867B: | | | | | | | | | | | |
| Graycalm | 55 | Poor | Poor | Fair | Good | Good | Very poor | Very poor | Poor | Good | Very poor |
| Menahga | 35 | Poor | Poor | Fair | Poor | Fair | Very poor | Very poor | Poor | Fair | Very poor |
| Epoufette | 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Very poorly drained soils | 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 903B: | | | | | | | | | | | |
| Barnes | 65 | Good | Good | Good | Good | Good | Poor | Very poor | Good | Good | Very poor |
| Langhei | 25 | Good | Good | Fair | Fair | Fair | Poor | Very poor | Good | Fair | Very poor |
| Flom | 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Hamlet | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Very poorly drained soils | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 903C2: | | | | | | | | | | | |
| Barnes, eroded | 55 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |

Wildlife Habitat (MN)

Mahnomen County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 903C2: | | | | | | | | | | | |
| Langhei, eroded | 35 | Fair | Good | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| Darnen | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Flom | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Hamlet | 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Very poorly drained soils | 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 942D2: | | | | | | | | | | | |
| Langhei, eroded | 55 | Fair | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| Barnes, eroded | 35 | Poor | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| Darnen | 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Flom | 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 967B: | | | | | | | | | | | |
| Waukon | 65 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Langhei | 25 | Good | Good | Fair | Fair | Fair | Poor | Very poor | Good | Fair | Very poor |
| Flom | 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Gonvick | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

Wildlife Habitat (MN)

Mahnomon County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 967B: | | | | | | | | | | | |
| Very poorly drained soils | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 967C2: | | | | | | | | | | | |
| Waukon, eroded | 60 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Langhei, eroded | 30 | Fair | Good | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| Darnen | 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Flom | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Very poorly drained soils | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 979D2: | | | | | | | | | | | |
| Langhei, eroded | 55 | Fair | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| Waukon, eroded | 35 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Darnen | 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Flom | 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1030: | | | | | | | | | | | |
| Pits, gravel | 65 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Udipsamments | 35 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

Wildlife Habitat (MN)

Mahnomon County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|------------------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 1113: | | | | | | | | | | | |
| Cathro, ponded | 30 | Very poor | Very poor | Very poor | Very poor | Very poor | Good | Good | Very poor | Very poor | Good |
| Haslie, ponded | 30 | Very poor | Very poor | Poor | Very poor | Very poor | Good | Good | Poor | Very poor | Good |
| Seelyeville, ponded | 30 | Very poor | Very poor | Very poor | Very poor | Very poor | Good | Good | Very poor | Very poor | Good |
| Poorly drained soils | 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Very poorly drained soils | 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1117: | | | | | | | | | | | |
| Hedman | 90 | Good | Good | Fair | Fair | Poor | Good | Good | Good | Fair | Fair |
| Fram | 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Rockwell | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Very poorly drained soils | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1139: | | | | | | | | | | | |
| Marysland, occasionally flooded | 90 | Good | Good | Fair | Fair | Fair | Good | Good | Fair | Fair | Good |
| Fairdale | 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Lamoure | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Very poorly drained soils | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

Wildlife Habitat (MN)

Mahnomon County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|--|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 1142: | | | | | | | | | | | |
| Hedman | 50 | Good | Good | Fair | Fair | Poor | Good | Good | Good | Fair | Fair |
| Fram | 40 | Good | Good | Good | Fair | Very poor | Fair | Poor | Good | Fair | Poor |
| Esmond | 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Heimdal | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Very poorly drained soils | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1147: | | | | | | | | | | | |
| Fairdale, frequently flooded | 30 | Poor | Poor | Fair | Fair | Poor | Poor | Poor | Poor | Fair | Poor |
| Fordum, frequently flooded | 30 | Very poor | Very poor | Poor | Fair | Fair | Good | Good | Very poor | Fair | Good |
| Lamoure, frequently flooded | 25 | Very poor | Poor | Fair | Good | Good | Fair | Fair | Poor | Good | Fair |
| Soils that have a surface layer of muck | 15 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1148: | | | | | | | | | | | |
| Fairdale, occasionally flooded | 45 | Good | Good | Good | Fair | Poor | Poor | Poor | Good | Fair | Poor |
| Lamoure, occasionally flooded | 45 | Poor | Poor | Fair | Good | Good | Fair | Fair | Poor | Good | Fair |

Wildlife Habitat (MN)

Mahnomon County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|--|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| | | | | | | | | | | | |
| 1148: | | | | | | | | | | | |
| Soils that have a surface layer of muck | 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Soils that have more sand | 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1149: | | | | | | | | | | | |
| Hamerly | 90 | Good | Good | Good | Good | Good | Fair | Fair | Good | Good | Fair |
| Barnes | 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Vallers | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Very poorly drained soils | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1152B: | | | | | | | | | | | |
| Sugarbush | 90 | Fair | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| Two Inlets | 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Epoufette | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Karlstad | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1152C: | | | | | | | | | | | |
| Sugarbush | 90 | Fair | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| Two Inlets | 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

Wildlife Habitat (MN)

Mahnomon County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 1152C: | | | | | | | | | | | |
| Epoufette | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Karlstad | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1152E: | | | | | | | | | | | |
| Sugarbush | 90 | Poor | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| Two Inlets | 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Epoufette | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Karlstad | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1200: | | | | | | | | | | | |
| Egglake | 90 | Good | Good | Good | Good | Good | Good | Good | Fair | Fair | Good |
| Very poorly drained soils | 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Wykeham | 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1233D2: | | | | | | | | | | | |
| Esmond, eroded | 60 | Poor | Fair | Good | Fair | Very poor | Very poor | Very poor | Fair | Poor | Very poor |
| Heimdal, eroded | 30 | Fair | Good | Good | Fair | Poor | Very poor | Very poor | Good | Fair | Very poor |
| Fram | 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Hedman | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

Wildlife Habitat (MN)

Mahnomon County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|--------------------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 1233D2: Very poorly drained soils | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1238E: Two Inlets | 55 | Very poor | Poor | Fair | Poor | Fair | Very poor | Very poor | Poor | Fair | Very poor |
| Sugarbush | 35 | Poor | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| Epoufette | 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Very poorly drained soils | 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1241B: Sandberg | 90 | Poor | Poor | Good | Poor | Poor | Very poor | Very poor | Good | Good | Very poor |
| Foldahl | 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Marysland | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Rockwell | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1356: Water, miscellaneous | 100 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1804: Hamre, ponded | 90 | Very poor | Very poor | Poor | Poor | Poor | Good | Good | Very poor | Poor | Good |
| Cathro | 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

Wildlife Habitat (MN)

Mahnomon County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|------------------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 1804: | | | | | | | | | | | |
| Haslie | 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Markey | 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Seelyeville | 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Poorly drained soils | 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Very poorly drained soils | 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1825B: | | | | | | | | | | | |
| Seelyeville, sloping, seep land | 90 | Poor | Poor | Good | Poor | Poor | Good | Good | Good | Poor | Good |
| Poorly drained soils | 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Very poorly drained soils | 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1878: | | | | | | | | | | | |
| Hamre | 90 | Fair | Fair | Poor | Poor | Poor | Good | Good | Fair | Poor | Good |
| Cathro | 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Poorly drained soils | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Very poorly drained soils | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

Wildlife Habitat (MN)

Mahnomen County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 1967: | | | | | | | | | | | |
| Hamerly | 55 | Good | Good | Good | Good | Good | Fair | Fair | Good | Good | Fair |
| Vallers | 35 | Fair | Fair | Fair | Fair | Poor | Good | Good | Fair | Fair | Good |
| Barnes | 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Langhei | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Very poorly drained soils | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| W: | | | | | | | | | | | |
| Water | 100 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |